Amendments to the Claims:

This listing of claims will replace all prior versions, and listings of claims in the application:

Listing of Claims:

- 1. (Currently Amended) A method for stimulating remodeling of blemished skin in a mammal, wherein the blemish is a scar, comprising administering to the blemished skin of said mammal a composition that comprises a peptone digest complexed with an ionic metal ionic metal peptide complex in an amount effective to remodel the skin and diminish or remove the skin blemish scar.
 - 2. Canceled.
- 3. (Currently Amended) The method according to claim 1, [[2,]] wherein the scar is selected from the group consisting of a surgical scar, a wound scar, an acne scar, a keloid scar, a burn scar, and a Sjogren's syndrome scar.
 - 4. Canceled.
- 5. (Original) The method of claim 1, wherein the ionic metal is selected from the group consisting of copper(II), tin(II), tin(IV), and zinc(II), and therapeutically acceptable salts and complexes thereof.
 - 6. (Original) The method of claim 1, wherein the ionic metal is copper(II).
- 7. (Currently Amended) The method according to claim 1, wherein the peptide of the ionic metal-peptide complex peptone digest is an enzymatic hydrolysis of casein, collagen, elastin, meat products, silk protein, or soybean protein.
- 8. (Currently Amended) The method according to claim 1, wherein the peptide of the ionic metal-peptide complex peptone digest is an acid hydrolysis of casein, collagen, elastin, meat products, silk protein, or soybean protein.

LOREN R. PICKART Serial No. 09/976,646 Page 3

- 9. (Currently Amended) The method according to claim 1, wherein the peptide of the ionic metal-peptide complex peptone digest is a basic hydrolysis of casein, collagen, elastin, meat products, silk protein, or soybean protein.
 - 10. Canceled.
 - 11. Canceled.
 - 12. Canceled.
- 13. (Original) The method according to claim 1, wherein the composition is administered topically or by injection into the skin.
- 14. (Currently Amended) The method according to claim 1, wherein the peptone digest complexed with an ionic metal ionic metal peptide complex is combined with a carrier to form a cream or lotion.
- 15. (Currently Amended) The method according to claim 1, wherein the concentration of the <u>peptone digest complexed with an ionic metal ionic metal peptide complex</u> in the composition is 1% to 25%.
 - 16. Canceled.
- 17. (New) A method for stimulating remodeling of blemished skin in a mammal, wherein the blemish is a skin tag, callus, benign skin mole, stretch mark, facial keratosis, thickened sunspot of the skin, or vitiligo spot, comprising administering to the blemished skin of said mammal a composition that comprises a peptone digest complexed with an ionic metal in an amount effective to remodel the skin and diminish or remove the blemish.

LOREN R. PICKART Serial No. 09/976,646 Page 4

- 18. (New) The method of claim 17, wherein the ionic metal is selected from the group consisting of copper(II), tin(II), tin(IV), and zinc(II), and therapeutically acceptable salts and complexes thereof.
 - 19. (New) The method of claim 17, wherein the ionic metal is copper(II).
- 20. (New) The method according to claim 17, wherein the peptone digest is an acid hydrolysis of casein, collagen, elastin, meat products, silk protein, or soybean protein.